

Alverno Villa - Event Monitor Checklist

SMPD CAD#: 260-2280032

The below portion to be completed by the Event Monitor

This portion to be completed by AHA personnel

Event Information:

Event Date: 02/28/20
Time Music Started: 1530
Time Music Stopped: 2120
Time Last Guest & Vendor Left: 2200
Time Gate Closed: 2200
Time Parking Lights Turned Off: 2150
Number of Security Guard(s): 1
Security Guard Name: Jeff Patridge
Security Guard Name: N/A

AHA Personnel Name: Andrea Bertolini
Event Type: Wedding
Event scheduled start time: 2:30 pm
Event scheduled end time: 10:00 pm
Gate Name: Nichillinda Ave.
Gate open time: 12pm
Gate Name: Highland Ave.
Gate open time: 12pm Closed at 1500 Hours
Gate Name: Wilson St.
Gate open time: 8 AM Closed at 1400 Hours
No. of rented events between these dates: #2
January 1, 2020, ~~2021~~ and
February 28, 2020, ~~2021~~
No. of rented events this month: 2
Number of guests: Approx. 100

Event Monitor Information:

Event Monitor Name: Ben Palmer
Event Monitor Phone: 626-419-2551
Event Monitor Arrival Time: 1445
Event Monitor Departure Time: 2200

Alverno Villa - Event Monitor Checklist

1500825-0.2 15 CH3 04/02

Noise Levels

| Street Name | 1st Reading | | | 2nd Reading | | | 3rd Reading | | | 4th Reading | | |
|--------------------|-------------|------|------|--------------|-----------------|------|--------------|------|------|--------------|------|------|
| | Time | dB | | Time | dB | | Time | dB | | Time | dB | |
| | | Int. | Ext. | | Int. | Ext. | | Int. | Ext. | | Int. | Ext. |
| Michillinda Avenue | 1540 | 51.3 | 59.1 | 1620 | 55.3 | 57.8 | 1700 | 48.6 | 52.9 | 1800 | 50.7 | 53.9 |
| Grandview Avenue | 1550 | 43.7 | 48.7 | 1630 | 43.1 | 50.3 | 1710 | 45.9 | 49.6 | 1810 | 46.8 | 48.4 |
| Wilson Street | 1600 | 48.8 | 50.1 | 1640 | 45.3 | 47.1 | 1720 | 44.8 | 51.8 | 1820 | 48.0 | 51.6 |
| Highland Avenue | 1610 | 50.1 | 51.2 | 1650 | 49.9 | 51.6 | 1730 | 48.8 | 52.8 | 1830 | 47.2 | 53.6 |
| | | | | | | | | | | | | |
| Street Name | 5th Reading | | | 6th Reading | | | 7th Reading | | | 8th Reading | | |
| | Time | dB | | Time | dB | | Time | dB | | Time | dB | |
| | | Int. | Ext. | | Int. | Ext. | | Int. | Ext. | | Int. | Ext. |
| Michillinda Avenue | 1850 | 53.8 | 57.3 | 1950 | 52.8 | 55.6 | 2100 | 53.2 | 55.8 | | | |
| Grandview Avenue | 1920 | 44.3 | 52.5 | 2000 | 45.7 | 46.9 | 2120 | 41.3 | 52.5 | | | |
| Wilson Street | 1910 | 49.7 | 51.3 | 2020 | 48.1 | 52.3 | 2115 | 41.7 | 45.9 | | | |
| Highland Avenue | 1900 | 54.9 | 67.8 | 2000 | 60.9 | 62.8 | 2110 | 56.3 | 57.3 | | | |
| | | | | | | | | | | | | |
| Street Name | 9th Reading | | | 10th Reading | | | 11th Reading | | | 12th Reading | | |
| | Time | dB | | Time | dB | | Time | dB | | Time | dB | |
| | | Int. | Ext. | | Int. | Ext. | | Int. | Ext. | | Int. | Ext. |
| Michillinda Avenue | | | | | | | | | | | | |
| Grandview Avenue | | | | | | | | | | | | |
| Wilson Street | | | | | | | | | | | | |
| Highland Avenue | | | | | | | | | | | | |
| | | | | | | | | | | | | |

55.3

Any interaction with Alverno staff, security, or SMPD?

| | | |
|----------------------------|-----|-------------------------------------|
| Alverno staff? | Yes | <input checked="" type="radio"/> No |
| Name: | | |
| Nature of Interaction: | | |
| Noise Reading (dB) & Time: | | |
| Remedy, if any: | | |

| | | |
|--------------------------------------------------------------------|--------------------------------------|----|
| Sierra Madre Police Department? 1838 Hours | <input checked="" type="radio"/> Yes | No |
| Name: SMPD DISPATCH | | |
| Nature of Interaction: REPORT OF MUSIC TO LOUD (NO LOCATION GIVEN) | | |
| Noise Reading (dB) & Time: ALL 4 STREETS MAX READING 53.9 DB | | |
| Remedy, if any: Will continue to monitor | | |

*RESIDENT #2 called DISPATCH AGAIN AT 2000 Hours ADDRESS 672 Highland I WENT TO LOCATION AND MONITORED for 10 min max DB 55.3 AT FRONT ST.

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------|
| Any interaction with the Public (In person or telephonic)? | Yes | <input type="radio"/> No |
| Name: UNKNOWN 672 HIGHLAND (Continued) | | |
| Nature of Interaction: I attempted to make contact by ringing the doorbell twice and knocked once, the resident would not come to the door | | |
| Noise Reading (dB) & Time: max readings over 10 min period 55.3dB. | | |
| Remedy, if any: | | |

| | | |
|-------------------------------------------------------------------|-----|-------------------------------------|
| Any interaction with the Public (In person or telephonic)? | Yes | <input checked="" type="radio"/> No |
| Name: | | |
| Nature of Interaction: | | |
| Noise Reading (dB) & Time: | | |
| Remedy, if any: | | |

| | | |
|-------------------------------------------------------------------|-----|-------------------------------------|
| Any interaction with the Public (In person or telephonic)? | Yes | <input checked="" type="radio"/> No |
| Name: | | |
| Nature of Interaction: | | |
| Noise Reading (dB) & Time: | | |
| Remedy, if any: | | |

Alverno Villa - Event Monitor Checklist

Were the Conditional Use Permit #22-03 Conditions Satisfied?

| | | |
|----------------------------------------------------|--------------------------------------|--------------------------|
| Section 1 – Frequency of Use / Level of Use | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|--------------------------------|--------------------------------------|--------------------------|
| Section 2 – Time of Use | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|-------------------------------|--------------------------------------|--------------------------|
| Section 3 – Noise | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|------------------------------------------------------------|--------------------------------------|--------------------------|
| Section 4 – Alcohol <i>BAR CLOSED at 2030 Hours</i> | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|--------------------------------------|--------------------------------------|--------------------------|
| Section 5 – Traffic / Parking | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|-----------------------------------|--------------------------------------|--------------------------|
| Section 6 – Vehicle Access | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|-------------------------------------|--------------------------------------|--------------------------|
| Section 7 – Nighttime Lights | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If no, please provide details | | |
| | | |

| | | |
|---------------------------------------|--------------------------------------|--------------------------|
| Section 8 – Litter and Garbage | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| If not please provide details | | |
| | | |